

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	34	proxy WITH negotiation	USPAT	OR	ON	2005/03/10 09:05
L2	0	1 WITH (modify or modified or modifies)	USPAT	OR	ON	2005/03/10 09:01
L3	62	(database or log) WITH session WITH packet	USPAT	OR	ON	2005/03/10 09:10
L4	0	1 and 3	USPAT	OR	ON	2005/03/10 09:02
L5	2	3 same proxy	USPAT	OR	ON	2005/03/10 09:03
L6	8	1 and encrypt\$	USPAT	OR	ON	2005/03/10 10:05
L7	0	3 WITH advantag\$	USPAT	OR	ON	2005/03/10 09:10
L8	1	3 same advantag\$	USPAT	OR	ON	2005/03/10 09:11
L9	1	"6584567".pn.	USPAT	OR	ON	2005/03/10 09:51
L10	1	9 and servers	USPAT	OR	OFF	2005/03/10 09:26
L11	0	9 and address	USPAT	OR	ON	2005/03/10 10:29
L12	1	9 and decrypt\$	USPAT	OR	ON	2005/03/10 10:07
L13	1	"6253337".pn.	USPAT	OR	ON	2005/03/10 09:51
L14	1	13 and log	USPAT	OR	ON	2005/03/10 09:51
L15	1	9 and (decrypt\$ WITH client)	USPAT	OR	ON	2005/03/10 10:02
L16	1	1 and (client near decrypt\$)	USPAT	OR	ON	2005/03/10 10:05
L17	1	9 and encrypt\$	USPAT	OR	ON	2005/03/10 10:07
L18	1	9 and tcp	USPAT	OR	ON	2005/03/10 14:34
L19	0	buffer\$ WITH length WITH complet\$ WITH cipher	USPAT	OR	ON	2005/03/10 10:40
L20	550	buffer\$ WITH length WITH complet\$	USPAT	OR	ON	2005/03/10 10:40
L21	0	buffer\$ WITH length WITH complet\$ WITH encrypt\$	USPAT	OR	ON	2005/03/10 10:41

L22	27	buffer\$ WITH length WITH encrypt\$	USPAT	OR	ON	2005/03/10 10:44
L23	1	buffer\$ WITH fixed WITH length WITH encrypt\$	USPAT	OR	ON	2005/03/10 10:45
L24	1101	buffer\$ WITH fixed WITH length	USPAT	OR	ON	2005/03/10 10:45
L25	3	24 same encrypt\$	USPAT	OR	ON	2005/03/10 10:45
L26	155	buffer\$ WITH fixed WITH length WITH block	USPAT	OR	ON	2005/03/10 10:47
L27	0	26 WITH advantag\$	USPAT	OR	ON	2005/03/10 10:46
L28	8	26 same advantag\$	USPAT	OR	ON	2005/03/10 10:46
L29	0	buffer\$ WITH fixed WITH length WITH block WITH cipher	USPAT	OR	ON	2005/03/10 10:47
L30	56	buffer\$ WITH complet\$ WITH length WITH block	USPAT	OR	ON	2005/03/10 11:11
L31	30	authentikat\$ near decrypt\$ near data	USPAT	OR	ON	2005/03/10 11:13
L32	0	31 same segment\$	USPAT	OR	ON	2005/03/10 11:12
L33	0	31 same fragment\$	USPAT	OR	ON	2005/03/10 11:13
L34	553	(fragment\$ or segment\$) WITH encrypt\$	USPAT	OR	ON	2005/03/10 11:13
L35	1	31 and 34	USPAT	OR	ON	2005/03/10 11:14
L36	253	34 same decrypt\$	USPAT	OR	ON	2005/03/10 11:15
L37	18	34 same (verif\$ WITH decrypt\$)	USPAT	OR	ON	2005/03/10 11:28
L38	2027	(SSL or (secure near1 sockets near1 layer))	USPAT	OR	ON	2005/03/10 11:29
L39	6	38 WITH accelerat\$	USPAT	OR	ON	2005/03/10 11:29
L40	0	39 and proxy	USPAT	OR	ON	2005/03/10 13:00
L41	3	server WITH secure with communication WITH (open near1 network)	USPAT	OR	ON	2005/03/10 13:18
L42	0	client WITH open WITH communications WITH (secure near1 network)	USPAT	OR	ON	2005/03/10 13:22

L43	51	SSL same vpn	USPAT	OR	ON	2005/03/10 13:21
L44	30	client WITH (secure near1 network) WITH server	USPAT	OR	ON	2005/03/10 14:05
L45	0	44 same (open near1 session)	USPAT	OR	ON	2005/03/10 13:36
L46	3	44 same open	USPAT	OR	ON	2005/03/10 13:55
L47	0	46 and vpn	USPAT	OR	ON	2005/03/10 13:37
L48	17868	open near1 channel	USPAT	OR	ON	2005/03/10 13:55
L49	0	48 WITH (secure near1 network)	USPAT	OR	ON	2005/03/10 13:55
L50	2	48 same (secure near1 network)	USPAT	OR	ON	2005/03/10 13:55
L51	207	advantag\$ WITH (load near1 balancing)	USPAT	OR	ON	2005/03/10 14:05
L52	164	51 and network	USPAT	OR	ON	2005/03/10 14:05
L53	13	52 and SSL	USPAT	OR	ON	2005/03/10 14:06
L54	1	"6820215".pn.	USPAT	OR	ON	2005/03/10 14:07
L55	1	54 and load	USPAT	OR	ON	2005/03/10 14:07
L56	29	proxy WITH (modifies or modifying or modified) WITH address	USPAT	OR	ON	2005/03/10 14:34
L57	0	56 WITH advantag\$	USPAT	OR	ON	2005/03/10 14:34
L58	4	56 same advantag\$	USPAT	OR	ON	2005/03/10 14:41
L59	1	"6,253,337".pn.	USPAT	OR	ON	2005/03/10 14:41
L60	0	59 and tcp and ssl	USPAT	OR	ON	2005/03/10 14:42
L61	0	59 and ssl	USPAT	OR	ON	2005/03/10 14:42
S1	32	713/150.cor.	USPAT	OR	OFF	2005/02/22 11:15
S2	10	713/152.cor.	USPAT	OR	OFF	2005/02/22 11:15
S3	131	713/168.cor.	USPAT	OR	OFF	2005/02/22 11:15

S4	648	713/200.cor.	USPAT	OR	OFF	2005/02/22 11:15
S5	631	713/201.cor.	USPAT	OR	OFF	2005/02/22 11:15
S6	6	freed near michael	USPAT	OR	OFF	2005/02/22 11:16
S7	0	S6 and ssl	USPAT	OR	OFF	2005/02/22 11:16
S8	1	S6 and encrypt\$	USPAT	OR	OFF	2005/02/22 11:16
S9	0	gannesen near elango	USPAT	OR	OFF	2005/02/22 11:17
S10	0	patnala near praveen	USPAT	OR	OFF	2005/02/22 17:13
S11	2	tcp same syn same ssl	USPAT	OR	ON	2005/02/22 17:14
S12	2	S11 and encrypt\$	USPAT	OR	ON	2005/02/22 17:14
S13	2	S11 and unencrypt\$	USPAT	OR	ON	2005/02/22 17:21
S14	2	S12 and ssl	USPAT	OR	ON	2005/02/22 17:21
S15	2	S12 and ssl with encrypt\$	USPAT	OR	ON	2005/02/22 17:23
S16	2	S12 and tcp	USPAT	OR	ON	2005/02/22 17:23
S17	2	S12 and tcp with server	USPAT	OR	ON	2005/02/23 10:30
S18	2	tcp same syn same ssl	USPAT	OR	ON	2005/02/23 10:30
S19	2	S18 and encrypt\$	USPAT	OR	ON	2005/02/23 10:30
S20	2	S19 and tcp with server	USPAT	OR	ON	2005/02/23 10:30
S21	1	S20 and database	USPAT	OR	ON	2005/02/23 10:30
S22	2	S20 and initial\$	USPAT	OR	ON	2005/02/23 10:31
S23	1	S20 and vector	USPAT	OR	ON	2005/02/23 10:31
S24	1	S20 and ack	USPAT	OR	ON	2005/02/23 11:24
S25	9741	alter\$ WITH destination WITH source WITH IP address WITH server	USPAT	OR	ON	2005/02/23 10:39

S26	721	alter\$ WITH destination WITH source WITH IP address WITH forward\$ WITH server	USPAT	OR	ON	2005/02/23 10:39
S27	26	S26 same advantag\$	USPAT	OR	ON	2005/02/23 11:02
S28	1	"6389462".pn.	USPAT	OR	ON	2005/02/23 11:02
S29	1	S28 and advantag\$	USPAT	OR	ON	2005/02/23 11:02
S30	1876	database WITH session	USPAT	OR	ON	2005/02/23 11:31
S31	0	S30 same (session near1 ID) same (TCP near2 sequence) Same (initialization or vector) same ack	USPAT	OR	ON	2005/02/23 11:25
S32	0	(session near1 ID) same (TCP near2 sequence) Same (initialization or vector) same ack	USPAT	OR	ON	2005/02/23 11:25
S33	0	(session near1 ID) and (TCP near2 sequence) and (initialization or vector) and ack	USPAT	OR	ON	2005/02/23 11:25
S34	0	database WITH session WITH packet WITH client WITH server	USPAT	OR	ON	2005/02/23 11:33
S35	147	database WITH session WITH client WITH server	USPAT	OR	ON	2005/02/23 11:32
S36	12	S35 same advantag\$	USPAT	OR	ON	2005/02/23 11:32
S37	5	(log or database) WITH session WITH packet WITH client WITH server	USPAT	OR	ON	2005/02/23 14:47
S38	5	(log or database) WITH session WITH packet WITH client WITH server	USPAT	OR	ON	2005/02/24 12:55
S39	3	S38 and tcp	USPAT	OR	ON	2005/02/23 14:48
S40	2	S38 and ssl	USPAT	OR	ON	2005/02/23 14:48
S41	0	S38 and ack	USPAT	OR	ON	2005/02/23 14:48
S42	128	TCP near2 sequence near2 number	USPAT	OR	ON	2005/02/23 14:58
S43	0	S42 same (SSL near2 session near2 number)	USPAT	OR	ON	2005/02/23 14:59
S44	0	S42 and (SSL near2 session near2 number)	USPAT	OR	ON	2005/02/23 14:58

S45	0	S42 WITH advantag\$	USPAT	OR	ON	2005/02/23 14:59
S46	7	S42 WITH (log or database)	USPAT	OR	ON	2005/02/23 15:01
S47	8	S42 same (log or database)	USPAT	OR	ON	2005/02/23 15:00
S48	11	S42 WITH entry	USPAT	OR	ON	2005/02/23 15:01
S49	1	"6052728".pn.	USPAT	OR	ON	2005/02/23 15:23
S50	0	S49 and initial\$	USPAT	OR	ON	2005/02/23 15:10
S51	1	"6473425".pn.	USPAT	OR	ON	2005/02/23 16:18
S52	0	S51 and advantag\$	USPAT	OR	ON	2005/02/23 16:18
S53	6	encrypt\$ WITH application WITH multiple WITH packet	USPAT	OR	ON	2005/02/23 15:42
S54	1	"6681327".pn.	USPAT	OR	ON	2005/02/23 15:37
S55	1	S54 and (encrypt\$ WITH application)	USPAT	OR	ON	2005/02/23 17:37
S56	0	encrypt\$ WITH application WITH fragment\$ WITH packet	USPAT	OR	ON	2005/02/23 15:46
S57	7	encrypt\$ WITH application WITH (multiple or many) WITH packet	USPAT	OR	ON	2005/02/23 15:46
S58	704	application WITH (multiple or many) WITH packet	USPAT	OR	ON	2005/02/23 15:46
S59	66	application WITH fragment\$ WITH packet	USPAT	OR	ON	2005/02/23 15:48
S60	0	S59 same authenticat\$	USPAT	OR	ON	2005/02/23 15:48
S61	39	S59 and authenticat\$	USPAT	OR	ON	2005/02/23 15:50
S62	0	S59 and authenticat\$ with applicaiton	USPAT	OR	ON	2005/02/23 15:50
S63	34	S59 and authenticat\$ with application	USPAT	OR	ON	2005/02/23 15:50
S64	1	"6415329".pn.	USPAT	OR	ON	2005/02/23 16:18
S65	1	S64 and advantag\$	USPAT	OR	ON	2005/02/23 16:54
S66	0	unbuffer\$ WITH decrypt\$	USPAT	OR	ON	2005/02/23 16:54

S67	0	nonbuffer\$ WITH decrypt\$	USPAT	OR	ON	2005/02/23 16:54
S68	188	buffer\$ near3 decrypt\$	USPAT	OR	ON	2005/02/23 17:26
S69	1	"5,925,126".pn.	USPAT	OR	ON	2005/02/23 17:01
S70	1	"5,440,723".pn.	USPAT	OR	ON	2005/02/23 17:01
S71	21	buffer\$ WITH without WITH decrypt\$	USPAT	OR	ON	2005/02/23 17:26
S72	1	S54 and buffer\$	USPAT	OR	ON	2005/02/23 17:38
S73	1	S54 and buffer\$ with encrypt\$	USPAT	OR	ON	2005/02/23 17:41
S74	0	SSL near2 acceleration	USPAT	OR	ON	2005/02/23 17:42
S75	12	client near2 communication near2 engine	USPAT	OR	ON	2005/02/23 17:43
S76	0	S75 WITH secure WITH open	USPAT	OR	ON	2005/02/23 17:42
S77	0	proxy WITH secure WITH cleint WITH (open near network)	USPAT	OR	ON	2005/02/23 17:44
S78	1790	proxy near1 server	USPAT	OR	ON	2005/02/24 10:35
S79	4	client WITH forward\$ WITH decrypt\$ WITH application	USPAT	OR	ON	2005/02/24 09:08
S80	1	S78 and S79	USPAT	OR	ON	2005/02/24 09:12
S81	13	client WITH forward\$ WITH decrypt\$	USPAT	OR	ON	2005/02/24 09:12
S82	2	S78 and S81	USPAT	OR	ON	2005/02/24 09:10
S83	17467	davis.in.	USPAT	OR	ON	2005/02/24 09:10
S84	2	S83 and (middle near1 tier)	USPAT	OR	ON	2005/02/24 09:10
S85	1	S84 and decrypt\$	USPAT	OR	ON	2005/02/24 09:10
S86	1285	client near3 forward\$	USPAT	OR	ON	2005/02/24 09:12
S87	239	S78 and S86	USPAT	OR	ON	2005/02/24 09:12
S88	8	(client near3 forward\$) with decrypt\$	USPAT	OR	ON	2005/02/24 09:49

S89	1	S78 and S88	USPAT	OR	ON	2005/02/24 09:13
S90	290	client WITH decrypt\$ WITH server	USPAT	OR	ON	2005/02/24 09:13
S91	54	S78 and S90	USPAT	OR	ON	2005/02/24 09:49
S92	9	(client near3 forward\$) with (unencrypt\$ or decrypt\$)	USPAT	OR	ON	2005/02/24 09:49
S93	2	S78 and S92	USPAT	OR	ON	2005/02/24 09:51
S94	7	client near2 (forward\$ or send\$) near2 decrypt\$	USPAT	OR	ON	2005/02/24 09:50
S95	1	S78 and S94	USPAT	OR	ON	2005/02/24 09:58
S96	133	client near1 decrypt\$	USPAT	OR	ON	2005/02/24 09:57
S97	155	client near1 forward\$ near3 server	USPAT	OR	ON	2005/02/24 09:58
S98	1	S96 same S97	USPAT	OR	ON	2005/02/24 09:58
S99	0	S78 and S98	USPAT	OR	ON	2005/02/24 09:58
S10 0	553	client near1 forward\$	USPAT	OR	ON	2005/02/24 09:58
S10 1	120	S78 and S100	USPAT	OR	ON	2005/02/24 10:06
S10 2	9	S100 same decrypt\$	USPAT	OR	ON	2005/02/24 10:05
S10 3	1	S78 and S102	USPAT	OR	ON	2005/02/24 10:06
S10 4	48674	(proxy near1 server) or gateway or firewall or intermediary	USPAT	OR	ON	2005/02/24 10:35
S10 5	7	S92 and S104	USPAT	OR	ON	2005/02/24 10:41
S10 6	407	server WITH receiv\$ WITH (unencrypt\$ or decrypt\$)	USPAT	OR	ON	2005/02/24 10:41
S10 7	179	S106 and S104	USPAT	OR	ON	2005/02/24 10:41
S10 8	5	(log or database) WITH session WITH packet WITH client WITH server	USPAT	OR	ON	2005/02/24 12:55
S10 9	4	S108 and S104	USPAT	OR	ON	2005/02/24 12:55

S11 0	694	(proxy or gateway or intermediary) WITH secure	USPAT	OR	ON	2005/03/09 11:19
S11 1	3	S110 same (encrypt\$ near2 application)	USPAT	OR	ON	2005/03/09 11:20
S11 2	48358	(proxy or gateway or intermediary)	USPAT	OR	ON	2005/03/09 11:19
S11 3	6	S112 same (encrypt\$ near2 application near2 data)	USPAT	OR	ON	2005/03/09 11:20